

## Literatur zum Artikel

# Mehr als Restriktion und Malabsorption: Wirkmechanismen der metabolischen Chirurgie

1. Ng M, Fleming T, Robinson M, et al (2014) Global, regional, and national prevalence of overweight and obesity in children and adults during 1980–2013: a systematic analysis for the Global Burden of Disease Study 2013. *Lancet* 384: 766–781
2. Fried M, Yumuk V, Oppert JM, et al (2014) Interdisciplinary European guidelines on metabolic and bariatric surgery. *Obes Surg* 24: 42–55
3. Nickel F, Jede F, Minassian A, et al (2014) One or two trainees per workplace in a structured multimodality training curriculum for laparoscopic surgery? Study protocol for a randomized controlled trial – DRKS00004675. *Trials* 15: 137
4. BGBL\_2012\_55\_BM\_Kurth-1.pdf
5. Runkel N, Colombo-Benkmann M, Hüttl TP, et al (2011) Evidence-based German guidelines for surgery for obesity. *Int J Colorectal Dis* 26: 397–404
6. pdf-report-krankenhaus-2016-2.pdf
7. Harriger JA, Thompson JK (2012) Psychological consequences of obesity: weight bias and body image in overweight and obese youth. *Int Rev Psychiatry* 24: 247–253
8. Yu J, Fei K, Fox A, et al (2016) Stress eating and sleep disturbance as mediators in the relationship between depression and obesity in low-income, minority women. *Obes Res Clin Pract* 10: 283–290
9. Bennett PH (2014) The Look AHEAD study: a missed opportunity. *Lancet Diabetes Endocrinol* 2: 775–776
10. Laxy M, Stark R, Peters A, et al (2017) The non-linear relationship between BMI and health care costs and the resulting cost fraction attributable to obesity. *Int J Environ Res Public Health* 14: 984
11. Eckel RH (2008) Clinical practice. Nonsurgical management of obesity in adults. *N Engl J Med* 358: 1941–1950
12. Dansinger ML, Gleason J, Griffith JL, et al (2005) Comparison of the Atkins, ornish, weight watchers, and zone diets for weight loss and heart disease risk reduction: a randomized trial. *JAMA* 293: 43–53
13. Sjöström L, Lindroos A-K, Peltonen M, et al (2004) Lifestyle, diabetes, and cardiovascular risk factors 10 years after bariatric surgery. *N Engl J Med* 351: 2683–2693
14. Schauer PR, Bhatt DL, Kirwan JP, et al (2017) Bariatric surgery versus intensive medical therapy for diabetes – 5-year outcomes. *N Engl J Med* 376: 641–651
15. Cummings DE, Schwartz MW (2003) Genetics and pathophysiology of human obesity. *Annu Rev Med* 54: 453–471
16. van Dongen KW, Ahlberg G, Bonavina L, et al (2011) European consensus on a competency-based virtual reality training program for basic endoscopic surgical psychomotor skills. *Surg Endosc* 25: 166–171
17. International Diabetes Federation Guideline Development Group (2014) Global guideline for type 2 diabetes. *Diabetes Res Clin Pract* 104: 1–52
18. Bueter M, Lowenstein C, Olbers T, et al (2010) Gastric bypass increases energy expenditure in rats. *Gastroenterology* 138: 1845–1853
19. Carrasco F, Papapietro K, Csendes A, et al (2007) Changes in resting energy expenditure and body composition after weight loss following Roux-en-Y gastric bypass. *Obes Surg* 17: 608–616
20. Buchwald H, Oien DM (2013) Metabolic/bariatric surgery worldwide 2011. *Obes Surg* 23: 427–436
21. Mason EE, Ito C (1996) Gastric bypass in obesity. *Obes Res* 4: 316–319
22. Björklund P, Lönroth H, Fandriks L (2015) Manometry of the upper gut following Roux-en-Y gastric bypass indicates that the gastric pouch and Roux limb act as a common cavity. *Obes Surg* 25: 1833–1841
23. Cottam DR, Fisher B, Sridhar V, et al (2009) The effect of stoma size on weight loss after laparoscopic gastric bypass surgery: results of a blinded randomized controlled trial. *Obes Surg* 19: 13–17
24. Heneghan HM, Yimcharoen P, Brethauer SA, et al (2012) Influence of pouch and stoma size on weight loss after gastric bypass. *Surg Obes Relat Dis* 8: 408–415
25. Aasheim ET, Johnson LK, Hofso D, et al (2012) Vitamin status after gastric bypass and lifestyle intervention: a comparative prospective study. *Surg Obes Relat Dis* 8: 169–175
26. Vargas-Ruiz AG, Hernandez-Rivera G, Herrera MF (2008) Prevalence of iron, folate, and vitamin B12 deficiency anemia after laparoscopic Roux-en-Y gastric bypass. *Obes Surg* 18: 288–293
27. Carswell KA, Vincent RP, Belgaumkar AP, et al (2014) The effect of bariatric surgery on intestinal absorption and transit time. *Obes Surg* 24: 796–805
28. Kumar R, Lieske JC, Collazo-Clavell ML, et al (2011) Fat malabsorption and increased intestinal oxalate absorption are common after Roux-en-Y gastric bypass surgery. *Surgery* 149: 654–661
29. Odstrcil EA, Martinez JG, Santa Ana CA, et al (2010) The contribution of malabsorption to the reduction in net energy absorption after long-limb Roux-en-Y gastric bypass. *Am J Clin Nutr* 92: 704–713
30. Pihlajamaki J, Gronlund S, Simonen M, et al (2010) Cholesterol absorption decreases after Roux-en-Y gastric bypass but not after gastric banding. *Metabolism* 59: 866–872
31. Li W, Baraboi ED, Cluny NL, et al (2015) Malabsorption plays a major role in the effects of the biliopancreatic diversion with duodenal switch on energy metabolism in rats. *Surg Obes Relat Dis* 11: 356–366
32. Halmi KA, Mason E, Falk JR, Stunkard A (1981) Appetitive behavior after gastric bypass for obesity. *Int J Obes* 5: 457–464
33. le Roux CW, Aylwin SJ, Batterham RL, et al (2006) Gut hormone profiles following bariatric surgery favor an anorectic state, facilitate weight loss, and improve metabolic parameters. *Ann Surg* 243: 108–114
34. Olbers T, Bjorkman S, Lindroos A, et al (2006) Body composition, dietary intake, and energy expenditure after laparoscopic Roux-en-Y gastric bypass and laparoscopic vertical banded gastroplasty: a randomized clinical trial. *Ann Surg* 244: 715–722
35. Stylopoulos N, Hoppin AG, Kaplan LM (2009) Roux-en-Y gastric bypass enhances energy expenditure and extends lifespan in diet-induced obese rats. *Obesity (Silver Spring)* 17: 1839–1847
36. Thomas JR, Marcus E (2008) High and low fat food selection with reported frequency intolerance following Roux-en-Y gastric bypass. *Obes Surg* 18: 282–287
37. LaFerrere B, Teixeira J, McGinty J, et al (2008) Effect of weight loss by gastric bypass surgery versus hypocaloric diet on glucose and incretin levels in patients with type 2 diabetes. *J Clin Endocrinol Metab* 93: 2479–2485
38. Sokos GG, Nikolaidis LA, Mankad S, et al (2006) Glucagon-like peptide-1 infusion improves left ventricular ejection fraction and functional status in patients with chronic heart failure. *J Card Fail* 12: 694–699
39. Mayer J, Thomas DW (1967) Regulation of food intake and obesity. *Science* 156: 328–337
40. Suzuki K, Simpson KA, Minnion JS, et al (2010) The role of gut hormones and the hypothalamus in appetite regulation. *Endocr J* 57: 359–372
41. Clark JT, Kalra PS, Crowley WR, Kalra SP (1984) Neuropeptide Y and human pancreatic polypeptide stimulate feeding behavior in rats. *Endocrinology* 115: 427–429
42. Rossi M, Kim MS, Morgan DG, et al (1998) A C-terminal fragment of Agouti-related protein increases feeding and antagonizes the effect of alpha-melanocyte stimulating hormone in vivo. *Endocrinology* 139: 4428–4431
43. Schwartz MW, Woods SC, Porte D Jr, et al (2000) Central nervous system control of food intake. *Nature* 404: 661–671
44. Cone RD, Cowley MA, Butler AA, et al (2001) The arcuate nucleus as a conduit for diverse signals relevant to energy homeostasis. *Int J Obes Relat Metab Disord* 25 (Suppl 5): S63–67
45. Coll AP, Loraine Tung YC (2009) Proopiomelanocortin (POMC)-derived peptides and the regulation of energy homeostasis. *Mol Cell Endocrinol* 300: 147–151

46. Hall KD, Hammond RA, Rahmandad H (2014) Dynamic interplay among homeostatic, hedonic, and cognitive feedback circuits regulating body weight. *Am J Public Health* 104: 1169–1175
47. Palmiter RD (2007) Is dopamine a physiologically relevant mediator of feeding behavior? *Trends Neurosci* 30: 375–381
48. Grill HJ, Skibicka KP, Hayes MR (2007) Imaging Obesity: fMRI, Food Reward, and Feeding. *Cell Metab* 6: 423–425
49. Batterham RL, Ffytche DH, Rosenthal JM, et al (2007) PYY modulation of cortical and hypothalamic brain areas predicts feeding behaviour in humans. *Nature* 450: 106–109
50. Karlsson HK, Tuominen L, Tuulari JJ, et al (2015) Obesity is associated with decreased mu-opioid but unaltered dopamine D2 receptor availability in the brain. *J Neurosci* 35: 3959–3965
51. Rothmund Y, Preuschhof C, Bohner G, et al (2007) Differential activation of the dorsal striatum by high-calorie visual food stimuli in obese individuals. *NeuroImage* 37: 410–421
52. Scholtz S, Miras AD, Chhina N, et al (2014) Obese patients after gastric bypass surgery have lower brain-hedonic responses to food than after gastric banding. *Gut* 63: 891–902
53. Miras AD, Jackson RN, Jackson SN, et al (2012) Gastric bypass surgery for obesity decreases the reward value of a sweet-fat stimulus as assessed in a progressive ratio task. *Am J Clin Nutr* 96: 467–473
54. Coluzzi I, Raparelli L, Guarnacci L, et al (2016) Food intake and changes in eating behavior after laparoscopic sleeve gastrectomy. *Obes Surg* 26: 2059–2067
55. Mumphrey MB, Hao Z, Townsend RL, et al (2014) Reversible hyperphagia and obesity in rats with gastric bypass by central MC3/4R blockade. *Obesity (Silver Spring)* 22: 1847–1853
56. Sjöström L, Narbro K, Sjöström CD, et al (2007) Effects of bariatric surgery on mortality in Swedish obese subjects. *N Engl J Med* 357: 741–752
57. Schauer PR, Kashyap SR, Wolski K, et al (2012) Bariatric surgery versus intensive medical therapy in obese patients with diabetes. *N Engl J Med* 366: 1567–1576
58. Rubino F, Forgione A, Cummings DE, et al (2006) The mechanism of diabetes control after gastrointestinal bypass surgery reveals a role of the proximal small intestine in the pathophysiology of type 2 diabetes. *Ann Surg* 244: 741–749
59. Pournaras DJ, Osborne A, Hawkins SC, et al (2010) Remission of type 2 diabetes after gastric bypass and banding: mechanisms and 2 year outcomes. *Ann Surg* 252: 966–971
60. Billeter AT, Kopf S, Zeier M, et al (2016) Renal function in type 2 diabetes following gastric bypass. *Dtsch Arztebl Int* 113: 827–833
61. Sjöholm K, Sjöström E, Carlsson LMS, Peltonen M (2016) Weight change-adjusted effects of gastric bypass surgery on glucose metabolism: 2- and 10-year results from the Swedish Obese Subjects (SOS) Study. *Diabetes Care* 39: 625–631
62. Gray KD, Moore MD, Bellorin O, et al (2017) Increased metabolic benefit for obese, elderly patients undergoing Roux-en-Y gastric bypass vs sleeve gastrectomy. *Obes Surg* doi: 10.1007/s11695-017-2904-2 [Epub ahead of print]
63. Jurowich CF, Rikkala PR, Thalheimer A, et al (2013) Duodenal-jejunal bypass improves glycemia and decreases SGLT1-mediated glucose absorption in rats with streptozotocin-induced type 2 diabetes. *Ann Surg* 258: 89–97
64. Breen DM, Rasmussen BA, Kokorovic A, et al (2012) Jejunal nutrient sensing is required for duodenal-jejunal bypass surgery to rapidly lower glucose concentrations in uncontrolled diabetes. *Nat Med* 18: 950–955
65. Roux CWI, Aylwin SJB, Batterham RL, et al (2006) Gut hormone profiles following bariatric surgery favor an anorectic state, facilitate weight loss, and improve metabolic parameters. *Ann Surg* 243: 108–114
66. Chambers AP, Jessen L, Ryan KK, et al (2011) Weight-independent changes in blood glucose homeostasis after gastric bypass or vertical sleeve gastrectomy in rats. *Gastroenterology* 141: 950–958
67. le Roux CW, Welbourn R, Werling M, et al (2007) Gut hormones as mediators of appetite and weight loss after Roux-en-Y gastric bypass. *Ann Surg* 246: 780–785
68. Habib AM, Richards P, Cairns LS, et al (2012) Overlap of endocrine hormone expression in the mouse intestine revealed by transcriptional profiling and flow cytometry. *Endocrinology* 153: 3054–3065
69. Batterham RL, Cohen MA, Ellis SM, et al (2003) Inhibition of food intake in obese subjects by peptide YY3–36. *N Engl J Med* 349: 941–948
70. Verdich C, Flint A, Gutzwiller JP, et al (2001) A meta-analysis of the effect of glucagon-like peptide-1 (7–36) amide on ad libitum energy intake in humans. *J Clin Endocrinol Metab* 86: 4382–4389
71. Gutzwiller J, Goke B, Drewe J, et al (1999) Glucagon-like peptide-1: a potent regulator of food intake in humans. *Gut* 44: 81–86
72. Gribble FM, Reimann F (2016) Enteroendocrine cells: chemosensors in the intestinal epithelium. *Annu Rev Physiol* 78: 277–299
73. Chambers AP, Smith EP, Begg DP, et al (2014) Regulation of gastric emptying rate and its role in nutrient-induced GLP-1 secretion in rats after vertical sleeve gastrectomy. *Am J Physiol Endocrinol Metab* 306: E424–432
74. Gorboulev V, Schurmann A, Vallon V, et al (2012) Na(+)-D-glucose cotransporter SGLT1 is pivotal for intestinal glucose absorption and glucose-dependent incretin secretion. *Diabetes* 61: 187–196
75. Reimann F, Habib AM, Tolhurst G, et al (2008) Glucose sensing in L cells: a primary cell study. *Cell Metab* 8: 532–539
76. Itoh Y, Kawamata Y, Harada M, et al (2003) Free fatty acids regulate insulin secretion from pancreatic beta cells through GPR40. *Nature* 422: 173–176
77. Hirasawa A, Tsumaya K, Awaji T, et al (2005) Free fatty acids regulate gut incretin glucagon-like peptide-1 secretion through GPR120. *Nat Med* 11: 90–94
78. Hansen KB, Rosenkilde MM, Knop FK, et al (2011) 2-Oleoyl glycerol is a GPR119 agonist and signals GLP-1 release in humans. *J Clin Endocrinol Metab* 96: E1409–1417
79. Alamshah A, Spreckley E, Norton M, et al (2017) l-phenylalanine modulates gut hormone release and glucose tolerance, and suppresses food intake through the calcium-sensing receptor in rodents. *Int J Obes (Lond)*. doi: 10.1038/ijo.2017.164
80. Furet JP, Kong LC, Tap J, et al (2010) Differential adaptation of human gut microbiota to bariatric surgery-induced weight loss: links with metabolic and low-grade inflammation markers. *Diabetes* 59: 3049–3057
81. Zhang H, DiBaise JK, Zuccolo A, et al (2009) Human gut microbiota in obesity and after gastric bypass. *Proc Natl Acad Sci USA* 106: 2365–2370
82. Batterham RL, Cowley MA, Small CJ, et al (2002) Gut hormone PYY(3–36) physiologically inhibits food intake. *Nature* 418: 650–654
83. Neary NM, Small CJ, Druce MR, et al (2005) Peptide YY3–36 and glucagon-like peptide-17–36 inhibit food intake additively. *Endocrinology* 146: 5120–5127
84. Ryan KK, Tremaroli V, Clemmensen C, et al (2014) FXR is a molecular target for the effects of vertical sleeve gastrectomy. *Nature* 509: 183–188
85. Adrian TE, Ballantyne GH, Longo WE, et al (1993) Deoxycholate is an important releaser of peptide YY and enteroglucagon from the human colon. *Gut* 34: 1219–1224
86. Makishima M, Okamoto AY, Repa JJ, et al (1999) Identification of a nuclear receptor for bile acids. *Science* 284: 1362–1365
87. Albaugh VL, Banan B, Ajouz H, et al (2017) Bile acids and bariatric surgery. *Mol Aspects Med* 56: 75–89
88. Risstad H, Kristinsson JA, Fagerland MW, et al (2017) Bile acid profiles over 5 years after gastric bypass and duodenal switch: results from a randomized clinical trial. *Surg Obes Relat Dis* 13: 1544–1553
89. Lee W-J, Chen C-Y, Chong K, et al (2011) Changes in postprandial gut hormones after metabolic surgery: a comparison of gastric bypass and sleeve gastrectomy. *Surg Obes Relat Dis* 7: 683–690
90. Peterli R, Steinert RE, Woelnerhanssen B, et al (2012) Metabolic and hormonal changes after laparoscopic Roux-en-Y gastric bypass and sleeve gastrectomy: a randomized, prospective trial. *Obes Surg* 22: 740–748
91. Lin HC, Chey WY, Zhao X (2000) Release of distal gut peptide YY (PYY) by fat in proximal gut depends on CCK. *Peptides* 21: 1561–1563
92. Blevins JE, Stanley BG, Reidelberger RD (2000) Brain regions where cholecystokinin suppresses feeding in rats. *Brain Res* 860: 1–10
93. Garlicki J, Konturek PK, Majka J, et al (1990) Cholecystokinin receptors and vagal nerves in control of food intake in rats. *Am J Physiol* 258: E40–45
94. Beglinger S, Drewe J, Schirra J, et al (2010) Role of fat hydrolysis in regulating glucagon-like peptide-1 secretion. *J Clin Endocrinol Metab* 95: 879–886
95. Degen L, Drewe J, Piccoli F, et al (2007) Effect of CCK-1 receptor blockade on ghrelin and PYY secretion in men. *Am J Physiol Regul Integr Comp Physiol* 292: R1391–1399
96. Cummings DE, Weigle DS, Frayo RS, et al (2002) Plasma ghrelin levels after diet-induced weight loss or gastric bypass surgery. *N Engl J Med* 346: 1623–1630
97. Tamboli RA, Antoun J, Sidani RM, et al (2017) Metabolic responses to exogenous ghrelin in obesity and early after Roux-en-Y gastric bypass in humans. *Diabetes Obes Metab* 19: 1267–1275

98. Steinert RE, Feinle-Bisset C, Asarian L, et al (2017) Ghrelin, CCK, GLP-1, and PYY(3–36): secretory controls and physiological roles in eating and glycemia in health, obesity, and after RYGB. *Physiol Rev* 97: 411–463
99. Kuo YT, Parkinson JR, Chaudhri OB, et al (2007) The temporal sequence of gut peptide CNS interactions tracked in vivo by magnetic resonance imaging. *J Neurosci* 27: 12341–12348
100. Chambers AP, Kirchner H, Wilson-Perez HE, et al (2013) The effects of vertical sleeve gastrectomy in rodents are ghrelin independent. *Gastroenterology* 144: 50–52
101. Trabelsi M-S, Lestavel S, Staels B, Collet X (2017) Intestinal bile acid receptors are key regulators of glucose homeostasis. *Proc Nutr Soc* 76: 192–202
102. Kawamata Y, Fujii R, Hosoya M, et al (2003) A G protein-coupled receptor responsive to bile acids. *J Biol Chem* 278: 9435–9440
103. Schroeder BO, Backhed F (2016) Signals from the gut microbiota to distant organs in physiology and disease. *Nat Med* 22: 1079–1089
104. Seyfried F, Li JV, Miras AD, et al (2013) Urinary phenotyping indicates weight loss-independent metabolic effects of Roux-en-Y gastric bypass in mice. *J Proteome Res* 12: 1245–1253
105. Noel OF, Still CD, Argyropoulos G, et al (2016) Bile acids, FXR, and metabolic effects of bariatric surgery. *J Obes*. doi: 10.1155/2016/4390254
106. Brighton CA, Rievaj J, Kuhre RE, et al (2015) Bile acids trigger GLP-1 release predominantly by accessing basolaterally located g protein-coupled bile acid receptors. *Endocrinology* 156: 3961–3970
107. McGavigan AK, Garibay D, Henseler ZM, et al (2017) TGR5 contributes to glucose-regulatory improvements after vertical sleeve gastrectomy in mice. *Gut* 66: 226–234
108. Tamburini S, Shen N, Wu HC, Clemente JC (2016) The microbiome in early life: implications for health outcomes. *Nat Med* 22: 713–722
109. Cani PD, Amar J, Iglesias MA, et al (2007) Metabolic endotoxemia initiates obesity and insulin resistance. *Diabetes* 56: 1761–1772
110. Hold GL, Pryde SE, Russell VJ, et al (2002) Assessment of microbial diversity in human colonic samples by 16S rDNA sequence analysis. *FEMS Microbiol Ecol* 39: 33–39
111. Hartstra AV, Bouter KE, Backhed F, Nieuwdorp M (2015) Insights into the role of the microbiome in obesity and type 2 diabetes. *Diabetes Care* 38: 159–165
112. Vrieze A, Van Nood E, Holleman F, et al (2012) Transfer of intestinal microbiota from lean donors increases insulin sensitivity in individuals with metabolic syndrome. *Gastroenterology* 143: 913–916
113. Tremaroli V, Karlsson F, Werling M, et al (2015) Roux-en-Y gastric bypass and vertical banded gastroplasty induce long-term changes on the human gut microbiome contributing to fat mass regulation. *Cell Metab* 22: 228–238
114. Ahmad NN, Pfalzer A, Kaplan LM (2013) Roux-en-Y gastric bypass normalizes the blunted postprandial bile acid excursion associated with obesity. *Int J Obes (Lond)* 37: 1553–1559
115. Nieuwdorp M, Gijljamse PW, Pai N, Kaplan LM (2014) Role of the microbiome in energy regulation and metabolism. *Gastroenterology* 146: 1525–1533
116. Flynn CR, Albaugh VL, Cai S, et al (2015) Bile diversion to the distal small intestine has comparable metabolic benefits to bariatric surgery. *Nat Commun* 6: 7715
117. Pournaras DJ, Glicksman C, Vincent RP, et al (2012) The role of bile after Roux-en-Y gastric bypass in promoting weight loss and improving glycaemic control. *Endocrinology* 153: 3613–3619
118. Panaro BL, Tough IR, Engelstoft MS, et al (2014) The melanocortin-4 receptor is expressed in enteroendocrine L cells and regulates the release of peptide YY and glucagon-like peptide 1 in vivo. *Cell Metab* 20: 1018–1029
119. Breton J, Tonnoune N, Lucas N, et al (2016) Gut commensal e. coli proteins activate host satiety pathways following nutrient-induced bacterial growth. *Cell Metab* 23: 324–334
120. Liou AP, Paziuk M, Luevano JM Jr, et al (2013) Conserved shifts in the gut microbiota due to gastric bypass reduce host weight and adiposity. *Sci Transl Med* 5: 178ra141
121. de Lartigue G, Diepenbroek C (2016) Novel developments in vagal afferent nutrient sensing and its role in energy homeostasis. *Curr Opin Pharmacol* 31: 38–43
122. Kentish SJ, Page AJ (2015) The role of gastrointestinal vagal afferent fibres in obesity. *J Physiol* 593: 775–786
123. de Lartigue G, Ronveaux CC, Raybould HE (2014) Deletion of leptin signaling in vagal afferent neurons results in hyperphagia and obesity. *Mol Metab* 3: 595–607
124. Berthoud HR (2008) Vagal and hormonal gut-brain communication: from satiation to satisfaction. *Neurogastroenterol Motil* 20 (Suppl 1): 64–72
125. Abbott CR, Monteiro M, Small CJ, et al (2005) The inhibitory effects of peripheral administration of peptide YY3–36 and glucagon-like peptide-1 on food intake are attenuated by ablation of the vagal-brainstem-hypothalamic pathway. *Brain Res* 1044: 127–131