

# Literatur zum Artikel

## Stressfrakturen – Update 2019

1. Knobloch K (2009) Von der Stressreaktion bis zur Stressfraktur im Sport. *CHAZ* 10: 277–284
2. Soligard T, Schwelnus M, Alonso JM, et al (2016) How much is too much? (Part 1) International Olympic Committee consensus statement on load in sport and risk of injury. *Br J Sports Med* 50: 1030–1041
3. Baker S, O'Neill B, Karpf R (1992) *The injury fact book*, 2nd edition. Oxford University Press, New York
4. Kibler WB, Chandler TJ, Stracener ES (1992). Musculoskeletal adaptations and injuries due to overtraining. *Exerc Sport Sci Rev* 20: 99–126
5. Knapik JJ, Reynolds K, Hoedebecke KL (2017) Stress fractures: etiology, epidemiology, diagnosis, treatment and prevention. *J Spec Oper Med* 17: 120–130
6. Bulathsinhala L, Hughes JM, McKinnon CJ, et al (2017) Risk of stress fracture varies by race/ethnic origin in a cohort study of 1,3 million US army soldiers. *J Bone Miner Res* 32: 1546–1553
7. Greaser MC (2016) Foot and ankle stress fractures in athletes. *Orthop Clin North Am* 47: 809–822
8. Changstrom BG, Brou L, Khodae M, et al (2015) Epidemiology of stress fracture injuries among US high school athletes 2005–2006 through 2012–2013. *Am J Sports Med* 43: 26–33
9. Niemeyer P, Weinberg A, Schmitt H, et al (2005) Stress fractures in adolescent competitive athletes with open physis. *Knee Surg Sports Traumatol Arthrosc* 3: 1–7
10. Korpelainen R, Orava S, Karpakka J, et al (2001) Risk factors for recurrent stress fractures in athletes. *Am J Sports Med* 29: 304–310
11. Barrow GW, Saha S (1988) Menstrual irregularity and stress fractures in collegiate female distance runners. *Am J Sports Med* 16: 209–216
12. Johnson AW, Weiss CB, Stento K, Wheeler DL (2001) Stress fractures of the sacrum – an atypical cause of low back pain in the female athlete. *Am J Sports Med* 29: 498–508
13. Zifchok RA, Davis I, Hamill J (2006) Kinetic asymmetry in female runners with and without retrospective tibial stress fractures. *J Biomech* 39: 2792–2797
14. Rossi F, Dragoni S (2005) Talar body fatigue stress fractures: three cases observed in elite female gymnasts. *Skeletal Radiol* 34: 389–394
15. Wright AA, Taylor JB, Ford KR, et al (2015) Risk factors associated with lower extremity stress fractures in runners: a systematic review with meta-analysis. *Br J Sports Med* 49: 1517–1523
16. Milgrom C, Finestone AS (2017) The effect of stress fracture interventions in a single elite infantry unit (1983–2015). *Bone* 103: 125–130
17. Sivakumar G, Koziarz A, Farrokhfar F (2019) Vitamin D supplementation in military personnel: a systematic review of randomized controlled trials. *Sports Health*. doi: 10.1177/1941738119857717 [Epub ahead of print]
18. Yagashita K (2017) Calcium and bone metabolism across women's life stages. Stress fracture in female athletes. *Clin Calcium* 27: 699–706
19. Hoch AZ, Pepper M, Akuthota V (2005) Stress fractures and knee injuries in runners. *Phys Med Rehabil Clin N Am* 16: 749–777
20. Kirch K (2005) Female athlete triad. *BMJ* 330: 244–246
21. Rutherford O (1993) Spine and total body mineral density in amenorrhoeic endurance athletes. *J Appl Physiol* 74: 2904–2908
22. Kelsey JL, Bachrach LK, Procter-Gray E, et al (2007) Risk factors for stress fracture among young female cross-country runners. *Med Sci Sports Exerc* 39: 1457–1463
23. Kaeding CC, Yu JR, Wright R, et al (2005) Management and return to play of stress fractures. *Clin J Sports Med* 15: 442–447
24. Kang L, Belcher D, Hulstyn MJ (2005) Stress fractures of the femoral shaft in Women's College Lacrosse: a report of seven cases and a review of the literature. *Br J Sports Med* 39: 902–906
25. Young AJ, McAllister DR (2006) Evaluation and treatment of tibial stress fractures. *Clin Sports Med* 25: 117–128
26. McInnis KC, Ramey LN (2016) High-risk stress fractures: diagnosis and management. *PM&R* 8 (3 Suppl): S113–124
27. Buckwalter JA, Brandser EA (1997) Stress and insufficiency fractures. *Am Fam Physician* 56: 172–182
28. Matcuk GR Jr, Mahanty SR, Skalski MR, et al (2016) Stress fractures: pathophysiology, clinical presentation, imaging features, and treatment options. *Emerg Radiol* 23: 365–375
29. Ramey LN, McInnis KC, Palmer WE (2016) Femoral neck stress fracture: can MRI grade help predict return-to-running time? *Am J Sports Med* 44: 2122–2129
30. Major NM (2006) Role of MRI in prevention of metatarsal stress fractures in collegiate basketball players. *AJR Am J Roentgenol* 186: 255–258
31. Ang EC, Robertson AF, Malara FA, et al (2016) Diagnostic accuracy of 3-Tesla magnetic resonance imaging with 3D T1 VIBE versus computer tomography in pars stress fracture of the lumbar spine. *Skeletal Radiol* 45: 1533–1540
32. Ebinger T (2019) Digitale Volumetomographie in der Handchirurgie. *CHAZ* 20: 257–260
33. Koivisto J, Kiljunen T, Wolff J, Kortensniemi M (2013) Assessment of effective radiation dose of an extremity CBCT, MSCT and conventional X ray for knee area using MOSFET dosimeters. *Radiat Prot Dosimetry* 157: 515–524
34. Koivisto J, Kiljunen T, Kadesjö N, et al (2015) Effective radiation dose of a MSCT, two CBCT and one conventional radiography device in the ankle region. *J Foot Ankle Res* 8: 8
35. Neubauer J, Benndorf M, Reidelbach C, et al (2016) Comparison of diagnostic accuracy of radiation dose-equivalent radiography, multidetector computed tomography and cone beam computed tomography for fractures of adult cadaveric wrists. *PLoS One* 11: e0164859
36. Koivisto J, van Eijnatten M, Kiljunen T, et al (2018) Effective radiation dose in the wrist resulting from a radiographic device, two CBCT devices and one MSCT device: a comparative study. *Radiat Prot Dosimetry* 179: 58–68
37. Tschauer S, Marterer R, Nagy E, et al (2017) Surface radiation dose comparison of a dedicated extremity cone beam computed tomography (CBCT) device and a multidetector computed tomography (MDCT) machine in pediatric ankle and wrist phantoms. *PLoS One* 12: e0178747
38. Crönlein M, Rauscher I, Beer AJ, et al (2015) Visualization of stress fractures of the foot using PET-MRI: a feasibility study. *Eur J Med Res* 20: 99
39. Arand M (2019) *Physikalische Verfahren mit Einfluss auf die Knochenheilung*. *Unfallchirurg* 122: 526–533
40. Tenforde AS, Sayres LC, Sainani KL, Fredericson M (2010) Evaluating the relationship of calcium and vitamin D in the prevention of stress fracture injuries in the young athlete: a review of the literature. *PM&R* 2: 945–949
41. Moreira CA, Bilezikian JP (2017) Stress fractures: concepts and therapeutics. *J Clin Endocrinol Metab* 102: 525–534
42. Miller JR, Dunn KW, Ciliberti JL Jr, et al (2016) Association of vitamin D with stress fractures: a retrospective cohort study. *J Foot Ankle Surg* 55: 117–120
43. Davey T, Lanham-New SA, Shaw AM (2016) Low serum 25-hydroxyvitamin D is associated with increased risk of stress fracture during Royal Marine recruit training. *Osteoporos Int* 27: 171–179
44. Shimasaki Y, Nagao M, Miyamori T, et al (2016) Evaluating the risk of a fifth metatarsal stress fracture by measuring the serum 25-hydroxyvitamin D levels. *Foot Ankle Int* 37: 307–311
45. Borg SA, Buckley H, Owen R, et al (2018) Early life vitamin D depletion alters the postnatal response to skeletal loading in growing and mature bone. *PLoS One* 13: e0190675.
46. McClung JP, Karl JP (2010) Vitamin D and stress fracture: the contribution of vitamin D receptor gene polymorphisms. *Nutr Rev* 68: 365–369
47. Varley I, Hughes DC, Greeves JP, et al (2018) The association of novel polymorphisms with stress fracture injury in elite athletes: further insights from the SFEA cohort. *J Sci Med Sport* 21: 564–568

48. Grieshaber JA, Mehran N, Photopolous C, et al (2018) Vitamin D insufficiency among professional basketball players: a relationship to fracture risk and athletic performance. *Orthop J Sports Med* 6: 2325967118774329
49. Massari L, Benazzo F, Falez F (2019) Biophysical stimulation of bone and cartilage: state of the art and future perspectives. *Int Orthop* 43: 539–551
50. Majeed H, Karim T, Davenport J, et al (2019) Clinical and patient-reported outcomes following low intensity pulsed ultrasound (LIPUS, Exogen) for established post-traumatic and post-surgical nonunion in the foot and ankle. *Foot Ankle Surg* [Epub ahead of print]
51. Tomohiko T, Nagase T, Nakagawa T, et al (2017) Treatment of incomplete Jones fractures with low-intensity pulsed ultrasound (LIPUS). *J Orthop Trauma* 31: S2–3
52. Gan TY, Kuah DE, Graham KS (2014) Low-intensity pulsed ultrasound in lower limb bone stress injuries: a randomized controlled trial. *Clin J Sports Med* 24: 457–460
53. Lous S, Lv H, Li Z, et al (2018) Effect of low-intensity pulsed ultrasound on distraction osteogenesis: a systematic review and meta-analysis of randomized controlled trials. *J Orthop Surg Res* 13: 205
54. Buarque de Gusmao CV, Batista NA, Vidotto Lemes VT, et al (2019) Effect of low intensity pulsed ultrasound (LIPUS), extracorporeal shockwaves and radial pressure waves on Akt, BMP-2, ERK-2, FAK and TGFβ1 during bone healing in rat tibial defects. *Ultrasound Med Biol* 45: 2140–2161
55. Schaden W, Mittermayr R, Haffner N, et al (2015) Extracorporeal shockwave therapy – first choice treatment of fracture non-unions? *Int J Surg* 24 (Pt B): 179–183
56. Leal C, D'Agostino C, Gomez Garcia S, Fernandez A (2015) Current concepts of shockwave therapy in stress fractures. *Int J Surg* 24 (Pt B): 195–200
57. Cheng JH, Wang CJ (2015) Biological mechanism of shockwave in bone. *Int J Surg* 24 (Pt B): 143–146
58. Shi L, Gao F, Sun W, et al (2017) Short-term effects of extracorporeal shockwave therapy on bone mineral density in postmenopausal osteoporotic patients. *Osteoporos Int* 28: 2945–2953
59. Willems A, van der Jagt OP, Meuffels DE (2019) ESWT for delayed union and nonunion fractures: a systematic review. *J Orthop Trauma* 33: 97–103
60. Miyamoto H, Sawaji Y, Iwaki T (2019) Intermittent pulsed electromagnetic field stimulation activates the mTOR pathway and stimulates the proliferation of osteoblast-like cells. *Bioelectromagnetics*. doi: 10.1002/bem.22207 [Epub ahead of print]
61. Bhavsar MB, Han Z, DeCoster T, et al (2019) Electrical stimulation based bone fracture treatment, if it works so well why do not more surgeons use it? *Eur J Trauma Emerg Surg*. doi: 10.1007/s00068-019-01127-z [Epub ahead of print]
62. Miller TL, Jamieson M, Everson S, Siegel C (2018) Expected time to return to athletic participation after stress fracture in division I collegiate athletes. *Sports Health* 10: 340–344
63. Fry RW, Morton AR, Keast D (1991) Overtraining in athletes. An update. *Sports Med* 12: 32–65
64. Gabbett TJ (2016) The training-injury prevention paradox: should athletes be training smarter and harder? *Br J Sports Med* 50: 273–80
65. Knobloch K (2009) Von der Stressreaktion bis zur Stressfraktur im Sport. *CHAZ* 10: 1–9
66. Allen MR (2018) Recent advances in understanding bisphosphonate effects on bone mechanical properties. *Curr Osteoporos Rep* 16 (2): 198–204
67. Bartl C, Imhoff A, Bartl R (2012) Treatment of bone marrow edema syndrome with intravenous ibandronate. *Arch Orthop Trauma Surg* 132 (12): 1781–1788
68. Miller TL, Kaeding CC, Rodeo SA (2019) Emerging options for biologic enhancement of stress fracture healing in athletes. *J Am Acad Orthop Surg* Jul 15