

Fazialisparese und plastisch- chirurgische Rekonstruktionen

Grundlagenwissen zu frühen und chronischen Formen

ANDREAS KEHRER, MARC RÜWE, SIMON ENGELMANN, VERONIKA MANDLIK, LUKAS PRANTL
REGENSBURG

1. Freilinger G, Gruber H, Happak W, Pechmann U (1987) Surgical anatomy of the mimic muscle system and the facial nerve: importance for reconstructive and aesthetic surgery. *Plast Reconstr Surg* 80: 686–690
2. Happak W, Burggasser G, Liu J, et al (1994) Anatomy and histology of the mimic muscles and the supplying facial nerve. In: Stennert E, Kreutzberg G, Michel O, Jungehülsing M (Hrsg) *The facial nerve*. Springer, Berlin S 85–86
3. Farahvash MR, Abianeh SH, Farahvash B, et al (2010) Anatomic variations of midfacial muscles and nasolabial crease: a survey on 52 hemifacial dissections in fresh Persian cadavers. *Aesthet Surg J* 30: 17–21
4. Tzafetta K, Terzis JK (2010) Essays on the facial nerve: Part I. Microanatomy. *Plast Reconstr Surg* 125: 879–889
5. Kehrer A, Engelmann S, Bauer R, et al (2018) The nerve supply of zygomatic major: variability and distinguishing zygomatic from buccal facial nerve branches. *Clin Anat* 31: 560–565
6. Buchthal F, Kuhl V (1979) Nerve conduction, tactile sensibility, and the electromyogram after suture or compression of peripheral nerve: a longitudinal study in man. *J Neurol Neurosurg Psychiatry* 42: 436–451
7. Kehrer A, Mandlik V, Taeger C, et al (2017) Postoperative control of functional muscle flaps for facial palsy reconstruction: ultrasound guided tissue monitoring using contrast enhanced ultrasound (CEUS) and ultrasound elastography. *Clin Hemorheol Microcirc* 67: 435–444
8. Huang B, Xu S, Xiong J, et al (2012) Psychological factors are closely associated with the Bell's palsy: a case-control study. *J Huazhong Univ Sci Technol Med Sci* 32: 272–279
9. Peitersen E (2002) Bell's palsy: the spontaneous course of 2,500 peripheral facial nerve palsies of different etiologies. *Acta Otolaryngol Suppl* 549: 4–30
10. Devriese PP, Schumacher T, Scheide A, et al (1990) Incidence, prognosis and recovery of Bell's palsy. A survey of about 1000 patients (1974–1983). *Clin Otolaryngol Allied Sci* 15: 15–27
11. Katusic SK, Beard CM, Wiederholt WC, et al (1986) Incidence, clinical features, and prognosis in Bell's palsy, Rochester, Minnesota, 1968–1982. *Ann Neurol* 20: 622–627
12. McCaul JA, Cascarini L, Godden D, et al (2014) Evidence based management of Bell's palsy. *Br J Oral Maxillofac Surg* 52: 387–391
13. Adour KK, Byl FM, Hilsinger RL Jr, et al (1978) The true nature of Bell's palsy: analysis of 1,000 consecutive patients. *Laryngoscope* 88: 787–801
14. Holland NJ, Weiner GM (2004) Recent developments in Bell's palsy. *BMJ* 329: 553–557
15. Glass GE, Tzafetta K (2014) Bell's palsy: a summary of current evidence and referral algorithm. *Fam Pract* 31: 631–642
16. Murakami S, Mizobuchi M, Nakashiro Y, et al (1996) Bell palsy and herpes simplex virus: identification of viral DNA in endoneurial fluid and muscle. *Ann Intern Med* 124(1 Pt 1): 27–30
17. Rosenstengel C, Matthes M, Baldauf J, et al (2012) Hemifacial spasm: conservative and surgical treatment options. *Dtsch Arztebl Int* 109: 667–673
18. VanSwearingen JM, Cohn JF, Bajaj-Luthra A (1999) Specific impairment of smiling increases the severity of depressive symptoms in patients with facial neuromuscular disorders. *Aesthetic Plast Surg* 23: 416–423
19. Kosins AM, Hurvitz KA, Evans GR, Wirth GA (2007) Facial paralysis for the plastic surgeon. *Can J Plast Surg* 15: 77–82
20. House JW, Brackmann DE (1985) Facial nerve grading system. *Otolaryngol Head Neck Surg* 93: 146–147
21. Ross BR, Fradet G, Nedzelski JM (1994) Development of a sensitive clinical facial grading system. *Eur Arch Otorhinolaryngol (Suppl)*: 180-1
22. Ahrens A, Skarada D, Wallace M, et al (1999) Rapid simultaneous comparison system for subjective grading scales grading scales for facial paralysis. *Am J Otol* 20: 667–671
23. Kayhan FT, Zurakowski D, Rauch SD (2000) Toronto Facial Grading System: interobserver reliability. *Otolaryngol Head Neck Surg* 122: 212–215
24. Chee GH, Nedzelski JM (2000) Facial nerve grading systems. *Facial Plast Surg* 16: 315–324
25. Banks CA, Bhama PK, Park J, et al (2015) Clinician-graded electronic facial paralysis assessment: the eFACE. *Plast Reconstr Surg* 136: 223e–230e
26. Banks CA, Jowett N, Azizadeh B, et al (2017) Worldwide testing of the eFACE facial nerve clinician-graded scale. *Plast Reconstr Surg* 139: 491e–498e

27. Peitersen E (1982) The natural history of Bell's palsy. *Am J Otol* 4: 107–111
28. Fujiwara T, Hato N, Gyo K, Yanagihara N (2014) Prognostic factors of Bell's palsy: prospective patient collected observational study. *Eur Arch Otorhinolaryngol* 271: 1891–1895
29. Heckmann JG (2017) Therapie der idopathischen Gesichtslähmung (Bell's Palsy)“ der Deutschen Gesellschaft für Neurologie (DGN). März 2017. Deutsche Gesellschaft für Neurologie (Hrsg) Leitlinien für Diagnostik und Therapie in der Neurologie. <http://www.awmf.org/leitlinien/detail/ll/030-013.html>
30. Boahene K (2013) Reanimating the paralyzed face. *F1000Prime Rep* 5: 49
31. Rivas A, Boahene KD, Bravo HC, et al (2011) A model for early prediction of facial nerve recovery after vestibular schwannoma surgery. *Otol Neurotol* 32: 826–833
32. Biglioli F (2015) Facial reanimations: part I – recent paralyses. *Br J Oral Maxillofac Surg* 53: 901–906
33. Yoshioka N, Tominaga S (2015) Masseteric nerve transfer for short-term facial paralysis following skull base surgery. *J Plast Reconstr Aesthet Surg* 68: 764–770
34. Garcia RM, Hadlock TA, Klebuc MJ, et al (2015) Contemporary solutions for the treatment of facial nerve paralysis. *Plast Reconstr Surg* 135: 1025e–1046e
35. Klebuc M, Shenaq SM (2004) Donor nerve selection in facial reanimation surgery. *Semin Plast Surg* 18: 53–60
36. Sheehan JE (1950) Progress in correction of facial palsy with tantalum wire and mesh. *Surgery* 27: 122–125
37. Rahman I, Sadiq SA (2007) Ophthalmic management of facial nerve palsy: a review. *Surv Ophthalmol* 52: 121–144
38. McMonnies CW (2007) Incomplete blinking: exposure keratopathy, lid wiper epitheliopathy, dry eye, refractive surgery, and dry contact lenses. *Cont Lens Anterior Eye* 30: 37–51
39. Fedok FG, Ferraro RE (2000) Restoration of lower eyelid support in facial paralysis. *Facial Plast Surg* 16: 337–343
40. Moe KS, Linder T (2000) The lateral transorbital canthopexy for correction and prevention of ectropion: report of a procedure, grading system, and outcome study. *Arch Facial Plast Surg* 2: 9–15
41. Terzis JK, Kyere SA (2008) Minitendon graft transfer for suspension of the paralyzed lower eyelid: our experience. *Plast Reconstr Surg* 121: 1206–1216
42. Collin JR (1993) Epiphora in facial paralysis. *Br J Plast Surg* 46: 149–150
43. McLaughlin CR (1950) Epiphora in facial paralysis. *Br J Plast Surg* 3: 87–95
44. McLaughlin CR (1993) Epiphora in facial paralysis. 1950–1. *Br J Plast Surg* 46: 143–148
45. Ducic Y, Adelson R (2005) Use of the endoscopic forehead-lift to improve brow position in persistent facial paralysis. *Arch Facial Plast Surg* 7: 51–54
46. Terzis JK, Karypidis D (2010) Blink restoration in adult facial paralysis. *Plast Reconstr Surg* 126: 126–139
47. Murphey AW, Clinkscales WB, Oyer SL (2018) Masseteric nerve transfer for facial nerve paralysis: a systematic review and meta-analysis. *JAMA Facial Plast Surg* 20: 104–110
48. Millesi H (1979) Nerve suture and grafting to restore the extra-temporal facial nerve. *Clin Plast Surg* 6: 333–341
49. Hernandez-Pascual L (1995) Hemihypoglossal-facial nerve anastomosis. *J Neurosurg* 83: 762–763
50. Terzis JK, Tzafetta K (2009) The „babysitter“ procedure: minihypoglossal to facial nerve transfer and cross-facial nerve grafting. *Plast Reconstr Surg* 123: 865–876
51. Chuang DC, Lu JC, Chang TN, Laurence VG (2018) Comparison of functional results after cross-face nerve graft-, spinal accessory nerve-, and masseter nerve-innervated gracilis for facial paralysis reconstruction: the Chang Gung experience. *Ann Plast Surg*. doi: 10.1097/SAP.0000000000001327 [Epub ahead of print]
52. Ebersold MJ, Quast LM (1992) Long-term results of spinal accessory nerve-facial nerve anastomosis. *J Neurosurg* 77: 51–54
53. Brenner E, Schoeller T (1998) Masseteric nerve: a possible donor for facial nerve anastomosis? *Clin Anat* 11: 396–400
54. Borschel GH, Kawamura DH, Kasukurthi R, et al (2012) The motor nerve to the masseter muscle: an anatomic and histomorphometric study to facilitate its use in facial reanimation. *J Plast Reconstr Aesthet Surg* 65: 363–366
55. Snyder-Warwick AK, Fattah AY, Zive L, et al (2015) The degree of facial movement following microvascular muscle transfer in pediatric facial reanimation depends on donor motor nerve axonal density. *Plast Reconstr Surg* 135: 370e–381e
56. Klebuc M (2015) The evolving role of the masseter-to-facial (V–VII) nerve transfer for rehabilitation of the paralyzed face. *Ann Chir Plast Esthet* 60: 436–441
57. Manni JJ, Beurskens CH, van de Velde C, Stokroos RJ (2001) Reanimation of the paralyzed face by indirect hypoglossal-facial nerve anastomosis. *Am J Surg* 182: 268–273
58. Lenzen-Schulte M (2018) Fazialisparese: Wie man das Lächeln reanimiert. *Dtsch Ärzteztbl* 115: A-1170–1172
59. Klebuc MJ (2011) Facial reanimation using the masseter-to-facial nerve transfer. *Plast Reconstr Surg* 127: 1909–1915
60. Manktelow RT, Tomat LR, Zuker RM, Chang M (2006) Smile reconstruction in adults with free muscle transfer innervated by the masseter motor nerve: effectiveness and cerebral adaptation. *Plast Reconstr Surg* 118: 885–899
61. Hontanilla B, Marre D (2014) Differences between sexes in dissociation and spontaneity of smile in facial paralysis reanimation with the masseteric nerve. *Head Neck* 36: 1176–1180
62. Eisenhardt SU, Thiele JR, Stark GB, Bannasch H (2013) Vergleichende Untersuchung des Cross Face Nerve Graft und des N. massetericus als Spendernerven für den freien funktionellen Muskeltransfer zur dynamischen Mundwinkelreanimation bei Fazialisparese. *Handchir Mikrochir Plast Chir* 45: 223–228
63. Boahene K (2015) Facial reanimation after acoustic neuroma resection: options and timing of intervention. *Facial Plast Surg* 31: 103–109
64. Scaramella LF (1971) L'anastomosi tra i due nervi faciali. *Arch Ital Otol* 82: 209–216
65. Smith JW (1971) A new technique of facial animation. Transactions of the Fifth International Congress for Plastic and Reconstructive Surgery. Chadwick, New South Wales, Australia. Butterworths, London
66. Grinsell D, Keating CP (2014) Peripheral nerve reconstruction after injury: a review of clinical and experimental therapies. *Biomed Res Int* 2014: 698256
67. Lexer E (1906) Über die chirurgische Behandlung der peripheren Fazialislähmung. *Beitr Klin Chir* 11: 116–126
68. Gillies H (1934) Experiences with fascia lata grafts in the operative treatment of facial paralysis. *Proc R Soc Med* 27: 1372–1382

69. McLaughlin CR (1952) Permanent facial paralysis; the role of surgical support. *Lancet* 2(6736): 647–651
70. Gordin E, Lee TS, Ducic Y, Arnaoutakis D (2015) Facial nerve trauma: evaluation and considerations in management. *Cranio-maxillofac Trauma Reconstr* 8: 1–13
71. Baker DC, Conley J (1979) Regional muscle transposition for rehabilitation of the paralyzed face. *Clin Plast Surg* 6: 317–331
72. Rubin L (1977) Reanimation of the paralyzed face: new approaches. Mosby, St Louis
73. Labbe D, Huault M (2000) Lengthening temporalis myoplasty and lip reanimation. *Plast Reconstr Surg* 105: 1289–1297
74. Ozturan O, Ozucer B, Gursoy AE (2015) Electromyographic evaluation of temporalis muscle following temporalis tendon transfer (facial reanimation) surgery. *J Craniofac Surg* 26: e515–517
75. Harii K, Ohmori K, Torii S (1976) Free gracilis muscle transplantation, with microvascular anastomoses for the treatment of facial paralysis. A preliminary report. *Plast Reconstr Surg* 57: 133–143
76. Takushima A, Harii K, Asato H, et al (2013) Fifteen-year survey of one-stage latissimus dorsi muscle transfer for treatment of longstanding facial paralysis. *J Plast Reconstr Aesthet Surg* 66: 29–36
77. Harrison DH, Grobbelaar AO (2012) Pectoralis minor muscle transfer for unilateral facial palsy reanimation: an experience of 35 years and 637 cases. *J Plast Reconstr Aesthet Surg* 65: 845–850
78. Terzis JK, Olivares FS (2009) Long-term outcomes of free-muscle transfer for smile restoration in adults. *Plast Reconstr Surg* 123: 877–888
79. Terzis JK, Olivares FS (2009) Long-term outcomes of free muscle transfer for smile restoration in children. *Plast Reconstr Surg* 123: 543–555
80. Kehrer A, Engelmann S, Ruewe M, et al (2018) Perfusion maintains functional potential in denervated mimic muscles in early persistent facial paralysis which requires early microsurgical treatment – the histoanatomic basis of the extratemporal facial nerve trunk assessing axonal load in the context of possible nerve transfers¹. *Clin Hemorheol Microcirc*
81. Eisenhardt SU, Eisenhardt NA, Thiele JR, et al (2014) Salvage procedures after failed facial reanimation surgery using the masseteric nerve as the motor nerve for free functional gracilis muscle transfer. *JAMA Facial Plast Surg* 16: 359–363