

Double-Unit-Superomedio-zentral gestielte Mammareduktionsplastik bei Gigantomastie als Modifikation der Technik nach Hall-Findlay

ANDREAS WOLTER^{1,2}, SONIA FERTSCH¹, BEATRIX MUNDER¹, PETER STAMBERA¹, TINO SCHULZ¹, MAZEN HAGOUAN¹, DIRK JANKU¹, KATINKA STAEMMLER¹, LUKAS GRUETER¹, NOUR ABU-ABDALLAH¹, KRISTIN BECKER¹, BIRGIT AUFMESSER¹, JULIA KORNETKA¹, CHRISTOPH ANDREE¹
DÜSSELDORF, WITTEN

1. Dancey A, Khan M, Dawson J, Peart F (2008) Gigantomastia – a classification and review of the literature. *J Plast Reconstr Aesthet Surg* 61: 493–502
2. Mojallal A, Moutran M, Shipkov C, et al (2010) Breast reduction in gigantomastia using the posterosuperior pedicle: an alternative technique, based on preservation of the anterior intercostal artery perforators. *Plast Reconstr Surg* 125: 32–43
3. Lugo LM, Prada M, Kohanzadeh S, et al (2013) Surgical outcomes of gigantomastia breast reduction superomedial pedicle technique: A 12-year retrospective study. *Ann Plast Surg* 70: 533–537
4. Landau AG, Hudson DA (2008) Choosing the superomedial pedicle for reduction mammoplasty in gigantomastia. *Plast Reconstr Surg* 121: 735–739
5. Regnault P (1976) Breast ptosis. Definition and treatment. *Clin Plast Surg* 3: 193–203
6. Muslu Ü (2018) The evolution of breast reduction publications: A bibliometric analysis. *Aesthetic Plast Surg* 42: 679–691
7. Karacaoglu E, Zienowicz RJ (2017) Septum-inferior-medial (SIM)-based pedicle: a safe pedicle with well-preserved nipple sensation for reduction in gigantomastia. *Aesthetic Plast Surg* 41: 1–9
8. Kemaloğlu CA, Özocak H (2018) Comparative outcomes of inferior pedicle and superomedial pedicle technique with wise pattern reduction in gigantomastic patients. *Ann Plast Surg* 80: 217–222
9. Azzam C, De Mey A (2007) Vertical scar mammoplasty in gigantomastia: retrospective study of 115 patients treated using the modified Lejour technique. *Aesthetic Plast Surg* 31: 294–298
10. Portincasa A, Ciancio F, Cagiano L, et al (2017) Septum-enhanced mammoplasty in inferocentral pedicled breast reduction for macromastia and gigantomastia patients. *Aesthetic Plast Surg* 41: 1037–1044
11. Hawtof DB, Levine M, Kapetansky DI, Pieper D (1989) Complications of reduction mammoplasty: comparison of nipple-areolar graft and pedicle. *Ann Plast Surg* 23: 3–10
12. Rohrich RJ, Gosman AA, Brown SA, et al (2004) Current preferences for breast reduction techniques: a survey of board-certified plastic surgeons 2002. *Plast Reconstr Surg* 114: 1724–33; discussion 1734–6
13. Bauermeister AJ, Gill K, Zuriarrain A, et al (2019) Reduction mammoplasty with superomedial pedicle technique: a literature review and retrospective analysis of 938 consecutive breast reductions. *J Plast Reconstr Aesthet Surg* 72: 410–418
14. Basaran K, Saydam FA, Ersin I, et al (2014) The free-nipple breast-reduction technique performed with transfer of the nipple-areola complex over the superior or superomedial pedicles. *Aesthetic Plast Surg* 38: 718–726
15. Karsidag S, Akcal A, Karsidag T, et al (2011) Reduction mammoplasty using the free-nipple-graft vertical technique for severe breast hypertrophy: Improved outcomes with the superior dermaglandular flap. *Aesthetic Plast Surg* 35: 254–261
16. Orlando JC, Guthrie RH (1975) The superomedial dermal pedicle for nipple transposition. *Br J Plast Surg* 28: 42–45
17. Lejour M (1994) Vertical mammoplasty and liposuction of the breast. *Plast Reconstr Surg* 94: 100–14
18. Hall-Findlay EJ (1999) A simplified vertical reduction mammoplasty: shortening the learning curve. *Plast Reconstr Surg* 104: 748–759
19. Hall-Findlay EJ (2004) Vertical Breast Reduction. *Semin Plast Surg* 18: 211–224
20. Hall-Findlay EJ, Shestak KC (2015) Breast Reduction. *Plast Reconstr Surg* 136: 531e–544e

21. Yuksel F, Karagoz H, Sever C, Kulahci Y (2012) Experience with vertical mammoplasty: advantages and drawbacks of Hall-Findlay's superomedial pedicle technique and improving the results by adding modifications to the technique. *Aesthetic Plast Surg* 36: 1329–1333
22. Serra MP, Longhi P, Sinha M (2010) Breast reduction with a superomedial pedicle and a vertical scar (Hall-Findlay's technique): experience with 210 consecutive patients. *Ann Plast Surg* 64: 275–278
23. Michelle le Roux C, Kiil BJ, Pan WR, et al (2010) Preserving the neurovascular supply in the Hall-Findlay superomedial pedicle breast reduction: an anatomical study. *J Plast Reconstr Aesthetic Surg* 63: 655–662
24. Hall-Findlay EJ (2011) Aesthetic breast surgery: concepts & technique. In: *Aesthetic breast surgery: concepts & technique, quality me.* St. Louis, Chapter 6: 261
25. Wueringer E, Mader N, Posch E, Holle J (1998) Nerve and vessel supplying ligamentous suspension of the mammary gland. *Plast Reconstr Surg* 101: 1486–1493
26. Hall-Findlay EJ (2004) Vertical breast reduction. *Semin Plast Surg* 18: 211–224
27. Kling RE, Tobler WD, Gusenoff JA, Rubin JP (2016) Avoiding complications in gigantomastia. *Clin Plast Surg* 43: 429–439
28. Rohrich RJ, Gosman AA, Brown SA, et al (2004) Current preferences for breast reduction techniques: a survey of board-certified plastic surgeons 2002. *Plast Reconstr Surg* 114: 1724–1733
29. Van Deventer PV, Graewe FR (2016) The blood supply of the breast revisited. *Plast Reconstr Surg* 137: 1388–1397
30. Palmer JH, Ian Taylor G (1986) The vascular territories of the anterior chest wall. *Br J Plast Surg* 39: 287–299
31. Landau AG, Hudson DA (2008) Choosing the superomedial pedicle for reduction mammoplasty in gigantomastia. *Plast Reconstr Surg* 121: 735–739
32. Hall-Findlay EJ, Shestak KC (2015) Breast reduction. *Plast Reconstr Surg* 136: 531e–44e
33. Spear SL, Howard MA (2003) Evolution of the vertical reduction mammoplasty. *Plast Reconstr Surg* 112: 855–868
34. Hammond DC, Kim K (2016) The short scar periareolar inferior pedicle reduction mammoplasty: management of complications. *Clin Plast Surg* 43: 365–372
35. Landau AG, Hudson DA (2008) Choosing the superomedial pedicle for reduction mammoplasty in gigantomastia. *Plast Reconstr Surg* 121: 735–739
36. Serra MP, Longhi P, Sinha M (2010) Breast reduction with a superomedial pedicle and a vertical scar (Hall-Findlay's technique): experience with 210 consecutive patients. *Ann Plast Surg* 64: 275–278
37. Davison SP, Mesbahi AN, Ducic I, et al (2007) The versatility of the superomedial pedicle with various skin reduction patterns. *Plast Reconstr Surg* 120: 1466–1476
38. Antony AK, Yegiyants SS, Danielson KK, et al (2013) A matched cohort study of superomedial pedicle vertical scar breast reduction (100 breasts) and traditional inferior pedicle wise-pattern reduction (100 breasts): an outcomes study over 3 years. *Plast Reconstr Surg* 132: 1068–1076
39. Hester TR, Bostwick J, Miller L, Cunningham SJ (1985) Breast reduction utilizing the maximally vascularized central breast pedicle. *Plast Reconstr Surg* 76: 890–898
40. Bucaria V, Elia R, Maruccia M, et al (2018) Why choose the septum-supero-medial (SSM)-based mammoplasty in patients with severe breast ptosis: an anatomical point of view. *Aesthetic Plast Surg* 42: 1439–1446
41. Wueringer E (1999) Refinement of the central pedicle breast reduction by application of the ligamentous suspension. *Plast Reconstr Surg* 103: 1400–1410
42. Pallua N, Kim BS, O'Dey D mon (2020) The short scar three-block L-wing technique. *J Plast Reconstr Aesthetic Surg* 73: 1075–1080
43. Pallua N, Ermisch C (2003) "I" becomes "L": Modification of vertical mammoplasty. *Plast Reconstr Surg* 111: 1860–1870
44. Yuksel F, Karagoz H, Sever C, Kulahci Y (2012) Experience with vertical mammoplasty: advantages and drawbacks of Hall-Findlay's superomedial pedicle technique and improving the results by adding modifications to the technique. *Aesthetic Plast Surg* 36: 1329–1333
45. Thorek M (1922) Possibilities in the reconstruction of the human form. *N Y Med J* 116: 572
46. Misirlioglu A, Akoz T (2005) Familial severe gigantomastia and reduction with the free nipple graft vertical mammoplasty technique: report of two cases. *Aesthetic Plast Surg* 29: 205–209